

# Updating Harley Davidson Boom! Software on Windows 7

Newer versions of Windows should be similar.

Harley Davidson written instructions  
are on last page for reference.

By timbo141




# REDLINE YOUR ADRENALINE LEVEL

THE ALL-NEW STREET ROD™. AGILE, AGGRESSIVE AND READY TO CARVE UP TRAFFIC.

SEE THE STREET ROD™ >



Click on "Owners"





MAINTAIN YOUR BIKE	FINANCING & INSURANCE	PLAN YOUR RIDE	INFOTAINMENT	ENGINES	BE HEARD
H-D Authorized Service	Finance Your Ride	Destinations	BOOM!(TM) Box Reference Guide	LongBlock Engine Program	
Owner's Manuals	Make A Payment	Ride Planner	Device Compatibility	Complete Crate Engines	
Maintenance Schedules	Bike Insurance	Motorcycle Shipping	Radio		
Recall Information	Extended Service	Road Trip Tips	<b>Software Downloads</b>		
	Protection Plans	Best Western Rewards	Zümo® Navigation		
	Private Party Financing	Motorcycle Laws			

**1. Click on "Software Downloads"**

Simply review the list, select your infotainment model number, download the file to a USB memory stick. Then insert it in your Boom!™ Box Infotainment System's USB port and follow the onscreen instructions to update your system.

- STANDARD RADIO
- PREMIUM RADIO**
- PREMIUM CVO RADIO**
- OTHER SOFTWARE DOWNLOADS

### BOOM! BOX 6.5GT PREMIUM



Updates only applicable for the Premium Boom!™ Box 6.5GT Models on the following bikes:



- Street Glide Special
- Road Glide Special
- Electra Glide Ultra Classic
- Ultra Limited
- Tri Glide Ultra Classic

1. Choose your Radio

2. Confirm software v

3. Right click on "Download

- + Dealer Location Update  
Version: 2016 04 [DOWNLOAD SOFTWARE >](#)
  - + **Premium Boom!™ Box**  
Version: 1.20.3 | Size: 880 MB [DOWNLOAD SOFTWARE >](#)
- [DOWNLOAD SOFTWARE](#)



Change Log:  
Fixes

- Radio stuck in OFF mode on start up in certain instances.
- Radio goes to OFF mode when is USB removed during start up in certain instances.
- Various fixes for blank or frozen screen issues during operation in certain instances.
- Various bug fixes.


swdl\_boombox\_6.5....zip  
102/840 MB, Paused

Show all




After the download is complete, locate the file below on your desktop and double click on it






1. Left Click once to select the “ISO Image File”  
(swdl boombox 6.5GT.iso)  
(It will be highlighted in a blue box)
2. Then Right click on the highlighted file.




1. Click on “Copy”
2. Insert a Blank USB Flash Drive  
that is 8 GB or Larger (Class 2 works best)  
(You can “Format” the flash drive to erase all contents or select files and delete them)






1. Click on "Start"
2. Click on "Computer"
3. Look for your flash Drive and double click on it






**Note: Make sure Flash Drive is empty before proceeding**

1. Click on "Edit" (Or right click in box)
2. Click on "Paste"



After Copy process is done it will look something like this.  
Note unzipped file size is larger.

# Now you can do a safe removal of flash drive




1. On toolbar by the Clock look for this symbol and click on it

2. Then Click on this symbol

3. Click on your Flash Drive

4. When this box comes up you can safely remove flash drive



5. Now go to H-D's instructions next page  
To 2 d. **REMEMBER to let the Boom FULLY  
Boot up before inserting flash Drive!**  
**( Give it 5 min then insert Flash Drive)**



# From Harley Davidson's Website:

- SOFTWARE UPDATE INSTRUCTIONS
  
- 1. Verify your audio system's current software version.
  - a. Select the following display menu items: "Home/Set-up/System Information Software Version".
  - b. Record the software version.
  - c. Compare your audio system's software version with the latest version available on this page.
  - d. If the software versions are the same, you have the latest software available and there is no need to update. If a higher level software level is available on harley-davidson.com, continue to update your audio system.
  
- NOTE: Do not interrupt the installation process. Leave the vehicle and radio turned on, and keep the USB flash drive installed until the installation process is complete.
  
- 2. Download the latest software version from harley-davidson.com
  - a. Select "Download Software Update" for the appropriate system.
  - b. When prompted, save the compressed file to your computer desktop.
  - c. When the download is complete, copy the file within the zipped folder to the root directory (the first or top most directory in a file system) of a USB flash drive that is 8 GB or larger.
  - d. Turn your vehicle's ignition switch to ACCESSORY. (Keyless ignition vehicles: press and hold the trip switch for more than two seconds).
  - e. Turn on the audio system and connect the USB flash drive to the audio system's USB port.
  - f. The audio system will detect the new software available and ask if you want to update. Select "Yes". The display will prompt you to remove the USB drive when the update is complete.
  
- NOTE: If the incorrect software file for your audio system is copied to the USB flash drive, and connected to the audio system's USB port, the following error message will result: "The ISO image on the attached USB is corrupt or incompatible".